

REFERENCES

1. l'Académie nationale de médecine de France. 2006. "Le retentissement du fonctionnement des éoliennes sur la santé de l'homme, le Rapport, ses Annexes et les Recommandations de l'Académie nationale de médecine, 3/14/2006." 17 pp. http://www.academie-medecine.fr/sites_thematiques/EOLIENNES/chouard_rapp_14mars_2006.htm
2. Ahlbom IC, Cardis E, Green A, Linet M, Savitz D, Swerdlow A; INCIRP (International Commission for Non-Ionizing Radiation Protection) Standing Committee on Epidemiology. 2001. Review of the epidemiologic literature on EMF and health. *Environ Health Perspect* 109 (Suppl 6): 911-33.
3. Babisch W. 2003. Stress hormones in the research on cardiovascular effects of noise. *Noise Health* 5(18): 1-11.
4. Babisch W. 2005. Noise and health. *Environmental Perspectives* 113(1): A14-15.
5. Babisch W, Beule B, Schust M, Kersten N, Ising H. 2005. Traffic noise and risk of myocardial infarction. *Epidemiology* 16(1): 33-40.
6. Baerwald EF, D'Amours GH, Klug BJ, Barclay RM. 2008. Barotrauma is a significant cause of bat fatalities at wind turbines. *Curr Biol* 18(16): R695-6.
7. Balaban CD. 2002. Neural substrates linking balance control and anxiety. *Physiology and Behavior* 77: 469-75.
8. Balaban CD. 2004. Projections from the parabrachial nucleus to the vestibular nuclei: potential substrates for autonomic and limbic influences on vestibular responses. *Brain Res* 996: 126-37.
9. Balaban CD, Thayer JF. 2001. Neurological bases for balance-anxiety links. *J Anxiety Disord* 15: 53-79.
10. Balaban CD, Yates BJ. 2004. The vestibuloautonomic interactions: a teleologic perspective. Chapter 7 in *The Vestibular System*, ed. SM Highstein, Fay RR, Popper AN, pp. 286-342. Springer-Verlag, New York.
11. Beasley R, Clayton T, Crane J, von Mutius E, Lai CK, Montefort S, Stewart A; ISAAC Phase Three Study Group. 2008. Association between paracetamol use in infancy and childhood, and the risk of asthma, rhinoconjunctivitis, and eczema in children aged 6-7 years: analysis from Phase Three of the ISAAC programme. *Lancet* 372(9643): 1039-48.
12. Beranek, LL. 2006. Basic acoustical quantities: levels and decibels. Chapter 1 in Ver IL, Beranek LL, *Noise and Vibration Control and Engineering: Principles and Applications*. John Wiley & Sons, Hoboken, NJ. 976 pp.
13. Berglund B, Hassmen P, Job RFS. 1996. Sources and effects of low frequency noise. *J Acoust Soc Am* 99(5): 2985-3002.
14. Baron, Robert Alex. 1970. *The Tyranny of Noise: The World's Most Prevalent Pollution, Who Causes It, How It's Hurting You, and How to Fight It*. St. Martin's Press, New York.
15. Brandt T, Bartenstein P, Janek A, Dieterich M. 1998. Reciprocal inhibitory visual-vestibular interaction. Visual motion stimulation deactivates the parieto-insular vestibular cortex. *Brain* 121(Pt. 9): 1749-58.
16. Brandt T, Dieterich M. 1999. The vestibular cortex: its locations, functions, and disorders. *Ann NY Acad Sci* 871: 293-312.

17. Brandt T, Schautzer F, Hamilton DA, Bruning R, Markowitsch HJ, Kalla R, Darlington C, Smith P, Strupp M. 2005. Vestibular loss causes hippocampal atrophy and impaired spatial memory in humans. *Brain* 128: 2732-41.
18. Cappa S, Sterzi R, Vallar G, Bisiach E. 1987. Remission of hemineglect and anosognosia during vestibular stimulation. *Neuropsychologia* 25: 775-82.
19. Castelo Branco NAA. 1999. A unique case of vibroacoustic disease: a tribute to an extraordinary patient. *Aviat Space Environ Med* 70(3): A27-31.
20. Castelo Branco NAA, Aguas AP, Pereira AS, Monteiro E, Fragata JIG, Tavares F, Grande NR. 1999. The human pericardium in vibroacoustic disease. *Aviat Space Environ Med* 70(3): A54-62.
21. Castelo Branco NAA, Alves-Pereira M. 2004. Vibroacoustic disease. *Noise Health* 6(23): 3-20.
22. Castelo Branco NAA, Monteiro M, Ferreira JR, Monteiro E, Alves-Pereira M. 2007. Bronchoscopy in vibroacoustic disease III – electron microscopy. *Inter-Noise 2007*, 28-31 August 2007, Istanbul, Turkey.
23. Clark C, Martin R, van Kempen E, Alfred T, Head J, Davies HW, Haines MM, Barrio IL, Matheson M, Stansfeld SA. 2005. Exposure-effect relations between aircraft and road traffic noise exposure at school and reading comprehension: the RANCH project. *Am J Epidemiol* 163: 27-37.
24. Claussen CF, Claussen E. 1995. Neurootological contributions to the diagnostic follow-up after whiplash injuries. *Acta Otolaryngol Suppl* 520, Pt. 1: 53-6.
25. Coermann RR, Ziegenruecker GH, Wittwer AL, von Gierke HE. 1960. The passive dynamic mechanical properties of the human thorax-abdominal system and of the whole body system. *Aerospace Medicine* 31(6): 443-55.
26. Cohen S, Glass DC, Singer JE. 1973. Apartment noise, auditory discrimination, and reading ability in children. *Journal of Experimental Social Psychology* 9: 407-22.
27. Dieterich M, Brandt T. 2008. Functional brain imaging of peripheral and central vestibular disorders. *Brain*, E-pub ahead of print, May 30, 2008, pp. 1-15.
28. Eckhardt-Henn A, Breuer P, Thomalske C, Hoffmann SO, Hopf HC. 2003. Anxiety disorders and other psychiatric subgroups in patients complaining of dizziness. *J Anxiety Disord* 17(4): 369-88.
29. Edge PM, Mayes WH. 1966. Description of Langley low-frequency noise facility and study of human response to noise frequencies below 50 cps. *NASA Technical Note, NASA TN D-3204*, 11 pp.
30. Eriksson C, Rosenlund M, Pershagen G, Hilding A, Ostenson C-G, Bluhm G. 2007. Aircraft noise and incidence of hypertension. *Epidemiology* 18(6): 716-721.
31. Ernst A, Basta D, Seidl RO, Todt I, Scherer H, Clarke A. 2005. Management of posttraumatic vertigo. *Otolaryngol Head Neck Surg* 132(4): 554-8.
32. Evans GW, Maxwell L. 1997. Chronic noise exposure and reading deficits: the mediating effects of language acquisition. *Environment & Behavior* 29(5): 638-56.
33. Evans GW. 2006. Child development and the physical environment. *Annu Rev Psychol* 57: 423-51.
34. Fay RR, Simmons AM. 1999. The sense of hearing and fishes and amphibians. In *Comparative Hearing: Fish and Amphibians*, ed. Fay RR, Popper AN, pp. 269-317. Springer-Verlag, New York.
35. Feldmann J, Pitten FA. 2004. Effects of low-frequency noise on man – a case study. *Noise Health* 7(25): 23-8.

36. Findeis H, Peters E. 2004. Disturbing effects of low-frequency sound immissions and vibrations in residential buildings. *Noise Health* 6(23): 29-35.
37. Foudriat BA, Di Fabio RP, Anderson JH. 1993. Sensory organization of balance responses in children 3-6 years of age: a normative study with diagnostic implications. *Int J Pediatr Otorhinolaryngol* 27(3): 255-71.
38. Frey, Barbara J and Hadden, Peter J. February 2007. Noise radiation from wind turbines installed near homes: effects on health. 137 pp.
http://www.windturbinehealthhumanrights.com/wtnhhr_june2007.pdf
39. Furman JM, Balaban CD, Jacob RG. 2001. Interface between vestibular dysfunction and anxiety: more than just psychogenicity. *Otol Neurotol* 22(3): 426-27.
40. Furman JM, Balaban CD, Jacob RG, Marcus DA. 2005. Migraine-anxiety related dizziness (MARD): a new disorder? *J Neurol Neurosurg Psychiatry* 76: 1-8.
41. Furman JM, Redfern MS, Jacob RG. 2006. Vestibulo-ocular function in anxiety disorders. *J Vestib Res* 16: 209-15.
42. Geminiani G, Bottini G. 1992. Mental representation and temporary recovery from unilateral neglect after vestibular stimulation. *J Neurol Neurosurg Psychiatry* 55(4): 332-3.
43. Giacomini J. 2005. Absorbed power of small children. *Clin Biomech*. 20(4): 372-80.
44. Grimm RJ, Hemenway WG, Lebray PR, Black FO. 1989. The perilymph fistula syndrome defined in mild head trauma. *Acta Otolaryngol Suppl* 464: 1-40.
45. Gurney JG, van Wijngaarden E. 1999. Extremely low frequency electromagnetic fields (EMF) and brain cancer in adults and children: review and comment. *Neuro Oncol* 1(3): 212-20.
46. Hadamard J. 1996. *The Mathematician's Mind: The Psychology of Invention in the Mathematical Field*. Princeton University Press, NJ. 166 pp.
47. Haines MM, Stansfeld SA, Job RFS, Berglund B, Head J. 2001. A follow-up study of effects of chronic aircraft noise exposure on child stress responses and cognition. *International Journal of Epidemiology* 30: 839-45.
48. Halberstadt A, Balaban CD. 2003. Organization of projections from the raphe nuclei to the vestibular nuclei in rats. *Neuroscience* 120(2): 573-94.
49. Hanes DA, McCollum G. 2006. Cognitive-vestibular interactions: a review of patient difficulties and possible mechanisms. *J Vestib Res* 16(3): 75-91.
50. Haralabidis AS, Dimakopoulou K, Vigna-Taglianti F, Giampaolo M, Borgini A, Dudley M-L, Pershagen G, Bluhm G, Houthuijs D, Babisch W, Velonakis M, Katsouyanni K, Jarup L. 2008. Acute effects of night-time noise exposure on blood pressure in populations living near airports. *European Heart Journal* 29(5): 658-64.
51. Harry, Amanda. February 2007. Wind turbines, noise, and health. 32 pp.
http://www.windturbinehealthhumanrights.com/wtnoise_health_2007_a_barry.pdf
52. Hedge, Alan, Professor, Cornell University, Department of Design and Environmental Analysis, syllabus/lecture notes for DEA 350: Whole-Body Vibration, January 2007, found at
<http://ergo.human.cornell.edu/studentdownloads/DEA325pdfs/Human%20Vibration.pdf>
53. Hillis HE, Caramazza A. 1995. Spatially specific deficits in processing graphemic representations in reading and writing. *Brain Lang* 48 (3): 263-308.

54. Hygge S, Evans GW, Bullinger M. 2002. A prospective study of some effects of aircraft noise on cognitive performance in schoolchildren. *Psychol Sci* 13: 469-74.
55. Indovina I, Maffei V, Bosco G, Zago M, Macaluso E, Lacquaniti F. 2005. Representation of visual gravitational motion in the human vestibular cortex. *Science* 308: 416-9.
56. Ishizaki K, Mori N, Takeshima T, Fukuhara Y, Ijiri T, Kusumi M, Yasui K, Kowa H, Nakashima K.. 2002. Static stabilometry in patients with migraine and tension-type headache during a headache-free period. *Psychiatry Clin Neurosci* 56(1): 85-90.
57. Ising H, Braun C. 2000. Acute and chronic endocrine effects of noise: review of the research conducted at the Institute for Water, Soil and Air Hygiene. *Noise Health* 7: 7-24.
58. Ising H, Ising M. 2002. Chronic cortisol increases in the first half of the night caused by road traffic noise. *Noise Health* 4: 13-21.
59. Jacob RG, Furman JM, Durrant JD, Turner SM. 1996. Panic, agoraphobia, and vestibular dysfunction. *Am J Psychiatry* 153(4): 503-12.
60. Jacob RG, Redfern MS, Furman JM. 2008. Space and motion discomfort (SMD) and abnormal balance control in patients with anxiety disorders. *J Neurol Neurosurg Psychiatry*, E-pub ahead of print, July 24, 2008, pp. 1-20.
61. Jacob RG, Woody SR, Clark DB, Lilienfeld SO, Hirsch BE, Kucera GD, Furman JM, Durrant JD. 1993. Discomfort with space and motion: a possible marker of vestibular dysfunction assessed by the Situational Characteristics Questionnaire. *J Psychopathol Behav Assess* 15(4): 299-324.
62. Jarup L, Babisch W, Houthuijs D, Pershagen G, Katsouyanni K, Cadum E, Dudley M-L, Savigny P, Seiffert I, Swart W, Breugelmans O, Bluhm G, Selander J, Haralabidis A, Dimakopoulou K, Sourtzi P, Velonakis M, Vigna-Taglianti F. 2008. Hypertension and exposure to noise near airports: the HYENA study. *Environmental Health Perspectives* 116(3): 329-33.
63. Johansen C. 2004. Electromagnetic fields and health effects – epidemiologic studies of cancer, diseases of the central nervous system and arrhythmia-related heart disease. *Scand J Work Environ Health* 30 Suppl 1: 1-30.
64. Kamperman GW, James RR. 2008. Simple guidelines for siting wind turbines to prevent health risks. *Noise-Con*, July 28-31, 2008, Institute of Noise Control Engineering/USA.
65. Kamperman GW, James RR. 2008. The “How To” guide to siting wind turbines to prevent health risks from sound. 44 pp. www.windturbinesyndrome.com
66. Kayan A, Hood JD. 1984. Neuro-otological manifestations of migraine. *Brain* 107:1123-42.
67. Lee H, Sohn SI, Jung DK, Cho YW, Lim JG, Yi SD, Yi HA. 2002. Migraine and isolated recurrent vertigo of unknown cause. *Neurol Res* 24(7): 663-5.
68. Lercher P, Evans GW, Meis M. Ambient noise and cognitive processes among primary schoolchildren. *Environment and Behavior* 35(6): 725-35.
69. Leventhall G. 2004. Notes on low frequency noise from wind turbines with special reference to the Genesis Power Ltd. proposal near Waiuku, NZ. Prepared for Genesis Power/Hegley Acoustic Consultants. June 4th.
70. Maguire EA, Valentine ER, Wilding JM, Kapur N. 2003. Routes to remembering: the brains behind superior memory. *Nat Neurosci* 6(1): 90-5.
71. Martinho Pimenta AJ, Castelo Branco NAA. 1999. Neurological aspects of vibroacoustic disease. *Aviat Space Environ Med* 70(3): A91-5.

72. Mast FW, Merfeld DM, Kosslyn SM. 2006. Visual mental imagery during caloric vestibular stimulation. *Neuropsychologia* 44(1): 101-9.
73. Minor, LB. 2003. Labyrinthine fistulae: pathobiology and management. *Curr Opin Otolaryngol Head Neck Surg.* 11(5): 340-6.
74. Mittelstaedt H. 1996. Somatic graviception. *Biol Psychol.* 42(1-2): 53-74.
75. Monteiro M, Ferreira JR, Alves-Pereira M, Castelo Branco NAA. 2007. Bronchoscopy in vibroacoustic disease I – “pink lesions.” *Inter-Noise 2007*, 28-31 August 2007, Istanbul, Turkey.
76. Muzet A, Miedema H. 2005. Short-term effects of transportation noise on sleep with specific attention to mechanisms and possible health impact. Draft paper presented at the Third Meeting on Night Noise Guidelines, WHO European Center for Environment and Health, Lisbon, Portugal 26-28 April 2005. Pp. 5-7 in *Report on the Third Meeting on Night Noise Guidelines*, available at http://www.euro.who.int/Document/NOH/3rd_NNG_final_rep_rev.pdf.
77. National Institute on Deafness and Other Communication Disorders, USA, website, "Prevalence of Chronic Tinnitus." 2009. <http://www.nidcd.nih.gov/health/statistics/prevalence.htm>.
78. National Research Council. 2007. *Environmental Impacts of Wind-Energy Projects*. The National Academies Press, Washington, DC. 185 pp.
79. Neuhauser H, Leopold M, von Brevern M, Arnold G, Lempert T. 2001. The interactions of migraine, vertigo, and migrainous vertigo. *Neurology* 56: 436-41.
80. Oliveira MJR, Pereira AS, Castelo Branco NAA, Grande NR, Aguas AP. 2002. In utero and postnatal exposure of Wistar rats to low-frequency/high intensity noise depletes the tracheal epithelium of ciliated cells. *Lung* 179: 225-32.
81. Oliveira MJR, Pereira AS, Ferreira PG, Guinaraes L, Freitas D, Carvalho APO, Grande NR, Aguas AP. 2004. Arrest in ciliated cell expansion on the bronchial lining of adult rats caused by chronic exposure to industrial noise. *Environ Res* 97: 282-6.
82. Omalu BI, DeKosky ST, Minster RL, Kamboh MI, Hamilton RL, Wecht CH. 2005. Chronic traumatic encephalopathy in a National Football League player. *Neurosurgery* 57: 128-34.
83. Omalu BI, DeKosky ST, Hamilton RL, Minster RL, Kamboh MI, Shakir AM, Wecht CH. 2006. Chronic traumatic encephalopathy in a National Football League player: part II. *Neurosurgery* 59: 1086-93.
84. Pawlaczyk-Luszczynska M, Dudarewicz A, Waszkowska M, Szymczak W, Sliwinska-Kowalska M. 2005. The impact of low-frequency noise on human mental performance. *International Journal of Occupational Medicine and Environmental Health* 18(2): 185-98.
85. Pedersen E. 2007. Human response to wind turbine noise: perception, annoyance and moderating factors. Dissertation, Occupational and Environmental Medicine, Department of Public Health and Community Medicine, Goteborg University, Goteborg, Sweden. 86 pp.
86. Pedersen E, Bouma J, Bakker R, van den Berg GP. 2008. Response to wind turbine noise in the Netherlands. *J Acoust Soc Am* 123(5): 3536 (abstract).
87. Pedersen E and Persson Waye K. 2004. Perceptions and annoyance due to wind turbine noise – a dose-response relationship. *J Acoust Soc Am* 116(6): 3460-70.
88. Pedersen E and Persson Waye K. 2007. Wind turbine noise, annoyance and self-reported health and wellbeing in different living environments. *Occup Environ Med* 64(7): 480-6.

89. Pereira AS, Grande NR, Monteiro E, Castelo Branco MSN, Castelo Branco NAA. 1999. Morphofunctional study of rat pleural mesothelial cells exposed to low frequency noise. *Aviat Space Environ Med* 70(3): A78-85.
90. Perna G, Dario A, Caldirola D, Stefania B, Cesarani A, Bellodi L. 2001. Panic disorder: the role of the balance system. *J Psychiatr Res* 35(5): 279-86.
91. Persson Wayne K. 2004. Effects of low frequency noise on sleep. *Noise Health* 6(23): 87-91.
92. Phipps, Robyn. 2007. Evidence of Dr. Robyn Phipps, in the matter of Moturimu wind farm application, heard before the Joint Commissioners 8th-26th March 2007, Palmerston North [New Zealand]. 43 pp.
<http://www.wind-watch.org/documents/wp-content/uploads/hipps-moturimutestimony.pdf>
93. Rasmussen G. 1982. Human body vibration exposure and its measurement. Bruel & Kjaer Technical Paper No. 1, Naerum, Denmark. Abstract: Rasmussen G. 1983. Human body vibration exposure and its measurement. *J Acoust Soc Am* 73(6): 2229.
94. Redfern MS, Furman JM, Jacob RG. 2007. Visually induced postural sway in anxiety disorders. *J Anxiety Disord* 21(5): 704-16. NIH Public Access Author Manuscript, pp. 1-14.
95. Redfern MS, Yardley L, Bronstein AM. 2001. Visual influences on balance. *J Anxiety Disord* 15(1-2): 81-94.
96. Rennie G. 2009. Wind farm noise limits urged. *The Windsor (Ontario, Canada) Star*. February 24.
97. Rinne T, Bronstein AM, Rudge P, Gresty MA, Luxon LM. 1998. Bilateral loss of vestibular function: clinical findings in 53 patients. *J Neurol* 245(6-7): 314-21.
98. Rosenhall U, Johansson G, Orndahl G. 1996. Otoneurologic and audiologic findings in fibromyalgia. *Scand J Rehabil Med* 28(4): 225-32.
99. Sand O, Karlsen HE. 1986. Detection of infrasound by the Atlantic cod. *J Exp Biol*. 125: 197-204.
100. Saunders RD, Jefferys JGR. 2002. Weak electric field interactions in the central nervous system. *Health Physics* 83(3): 366-75.
101. Schlindwein P, Meueller M, Bauermann T, Brandt T, Stoeter P, Dieterich M. 2008. Cortical representation of saccular vestibular stimulation: VEMPs in fMRI. *NeuroImage* 39: 19-31.
102. Schore, Allan N., 1994. *Affect Regulation and the Origin of the Self: The Neurobiology of Emotional Development*. Lawrence Earlbaum Associates, Hillsdale, NJ. 700 pp.
103. Sinclair, Upton. 1935. *I, Candidate for Governor: And How I Got Licked*. Farrar & Rinehart, NY.
104. Staud R, Cannon RC, Mauderli AP, Robinson ME, Price DD, Vierck CJ Jr. 2003. Temporal summation of pain from mechanical stimulation of muscle tissue in normal controls and subjects with fibromyalgia syndrome. *Pain* 102: 87-95.
105. Steindl R, Kunz K, Schrott-Fischer A, Scholtz AW. 2006. Effect of age and sex on maturation of sensory systems and balance control. *Dev Med Child Neurol* 48(6): 477-82.
106. Style, P, Stimpson I, Toon S, England R, and Wright M. 2005. Microseismic and infrasound monitoring of low frequency noise and vibrations from wind farms. Recommendations on the siting of wind farms in the vicinity of Eskdalemuir, Scotland. 125 pp.
http://www.esci.keele.ac.uk/geophysics/News/windfarm_monitoring.html
107. Takahashi Y, Yonekawa Y, Kanada K, Maeda S. 1999. A pilot study on the human body vibration induced by low-frequency noise. *Industrial Health* 37: 28-35.

108. Takahashi Y, Kanada K, Yonekawa Y, Harada N. 2005. A study on the relationship between subjective unpleasantness and body surface vibrations induced by high-level low-frequency pure tones. *Industrial Health* 43: 580-587, p. 580.
109. Todd NPMc, Rosengren SM, Colebatch JG. 2008. Tuning and sensitivity of the human vestibular system to low-frequency vibration. *Neuroscience Letters* 444: 36-41.
110. Uzun-Coruhlu H, Curthoys IS, Jones AS. 2007. Attachment of utricular and saccular maculae to the temporal bone. *Hear Res* 233(1-2): 77-85.
111. Vaitl D, Mittelstaedt H, Baisch F. 2002. Shifts in blood volume alter the perception of posture: further evidence for somatic graviception. *Int J Psychophysiol.* 44(1): 1-11.
112. van den Berg, GP. 2004a. Do wind turbines produce significant low frequency sound levels? 11th International Meeting on Low Frequency Noise and Vibration and Its Control, Maastricht, The Netherlands, 30 August to 1 September 2004.
113. van den Berg, GP. 2004b. Effects of the wind profile at night on wind turbine sound. *Journal of Sound and Vibration* 277: 955-970.
114. van den Berg, GP. 2005. The beat is getting stronger: The effect of atmospheric stability on low frequency modulated sound of wind turbines. *Journal of Low Frequency Noise, Vibration, and Active Control*, 24(1): 1-24.
115. van den Berg, GP. 2006. The sound of high winds: The effect of atmospheric stability on wind turbine sound and microphone noise. PhD dissertation, University of Groningen, The Netherlands. 177 pp. <http://irs.ub.rug.nl/ppn/294294104>.
116. van den Berg GP, Pedersen E, Bakker R, Bouma J. 2008a. Wind farm aural and visual impact in the Netherlands. *J Acoust Soc Am* 123(5): 3682 (abstract).
117. van den Berg GP, Pedersen E, Bouma J, Bakker R. 2008b. Project WINDFARMperception: visual and acoustic impact of wind turbine farms on residents. Final report, June 3, 2008. 63 pp. Summary: <http://umcg.wewi.eldoc.ub.rug.nl/FILES/root/Rapporten/2008/WINDFARMperception/WFp-final-summary.pdf>
Entire report: <https://dspace.hh.se/dspace/bitstream/2082/2176/1/WFp-final.pdf>
118. von Gierke HE. 1971. Biodynamic models and their applications. *J Acoust Soc Am* 50(6): 1397-413.
119. von Gierke HE, Parker DE. 1994. Differences in otolith and abdominal viscera graviceptor dynamics: implications for motion sickness and perceived body position. *Aviat Space Environ Med* 65(8): 747-51.
120. Vuilleumier P, Ortigue S, Brugger P. 2004. The number space and neglect. *Cortex* 40(2): 399-410.
121. World Health Organization. 1999. *Guidelines for Community Noise*. Ed. Berglund B, Lindvall T, Schwela DH. 159 pp. www.who.int/docstore/peh/noise/guidelines2.html
122. Yardley L, Britton J, Lear S, Bird J, Luxon LM. 1995. Relationship between balance system function and agoraphobic avoidance. *Behav Res Ther* 33(4): 435-9.
123. Yardley L, Luxon LM, Lear S, Britton J, Bird J. 1994. Vestibular and posturographic test results in people with symptoms of panic and agoraphobia. *J Audiol Med* 3: 58-65.
124. Zorzi M, Priftis K, Umiltà C. 2002. Brain damage: neglect disrupts the mental number line. *Nature* 417: 138-9.